

Abdallah AM, Gey van Pittius NC, Champion PAD, Cox J, Luirink J, Vandenbroucke-Grauls CMJE, Appelmek BJ, Bitter W. 2007. Type VII secretion — mycobacteria show the way. *Nature Reviews*. **5**: 883-891.

Ababou A, Ladbury JE 2006. Survey of the year 2004: literature on applications of isothermal titration calorimetry. *J Mol Recognit*, **19**: 79–89.

Ababou A, Ladbury JE. 2007. A survey of the year 2005 literature on applications of isothermal titration calorimetry. *J Mol Recognit*. **20**: 4–14.

Alderson MR, Bement T, Day CH, Zhu L, Molesh D, Skeiky YAW, Coler R, Lewinson DM, Reed SG, Dillon DC. 2000. Expression cloning of an Immunodominant Family of *Mycobacterium tuberculosis* Antigens Using Human CD4 T Cells. *J Exp Med* **191**, 551-559.

Andersen P, Andersen AB, Sorensen AL, Nagai S. 1995. Recall of long-lived immunity to *Mycobacterium tuberculosis* infection in mice. *J Immunol*. **154**: 3359-72.

Andersen P, Doherty TM, Pai M, Weldingh K. 2007. The prognosis of latent tuberculosis: can disease be predicted? *TRENDS in Molecular Medicine*. **13**: 175 – 182.

Anonymous. 2004. BCG vaccine. WHO position paper. *Epidemiol Rec*. **79**: 27-38.

Arbing MA, Kaufmann M, Phan T, Chan S, Cascio D, Eisenberg D. 2010. The crystal structure of the *Mycobacterium tuberculosis* Rv3019c-Rv3020c ESX complex reveals a domain-swapped heterotetramer. *Protein Sci*. **19 (9)**: 1692-1703.

Behr MA. 2002. BCG—different strains, different vaccines? *Lancet Infect Dis*. **2**: 86-92.

Behr MA, Wilson MA, Gill WP, Salamon H, Schoolnik GK, Rane S, Small PM. 1999. Comparative Genomics of BCG Vaccines by Whole-Genome DNA Microarray. *Science*. **284**: 1520-1523.

Berthet FX, Rasmussen PB, Rosenkrands I, Andersen P, Gicquel BA. 1998. *Mycobacterium tuberculosis* operon encoding ESAT-6 and a novel low-molecular-mass culture filtrate protein (CFP-10). *Microbiology*. **144**: 3195- 3203.

- Bertholet S, Ireton GC, Kahn M, Guderian J, Mohamath R, Stride N, Laughlin EM, Baldwin SL, Vedvick TS, Coler RN, Reed SG. 2008. Identification of Human T Cell Antigens for the Development of Vaccines against *Mycobacterium tuberculosis*. *The Journal of Immunology*. **181**: 7948–7957.
- Bijlsma JJ, Groisman EA. 2005. The PhoP/PhoQ system controls the intramacrophage type three secretion system of *Salmonella enterica*. *Mol Microbiol*. **57**: 85–96.
- Biswal BK, Garen G, Cherney MM, Garen C, James MNG. 2006. Cloning, expression, purification, crystallization and preliminary X-ray studies of epoxide hydrolases A and B from *Mycobacterium tuberculosis*. *Acta Crystallogr*. **62**: 136–138.
- Brandt L, Elhay M, Rosenkrands I, Lindblad EB, Andersen P. 2000. ESAT-6 subunit vaccination against *Mycobacterium tuberculosis*. *Infect Immun*. **68**: 791-795.
- Brandt L, Feino CJ, Weinreich OA, Chilima B, Hirsch P, Appelberg R, et al. 2002. Failure of the *Mycobacterium bovis* BCG vaccine: some species of environmental mycobacteria block multiplication of BCG and induction of protective immunity to tuberculosis. *Infect Immun*. **70**: 672-678.
- Brandt L, Oettinger T, Holm A, Andersen AB, Andersen P. 1996. Key epitopes on the ESAT-6 antigen recognized in mice during the recall of protective immunity to *Mycobacterium tuberculosis*. *J. Immunol*. **157**: 3527–3533.
- Brewer TF. 2000. Preventing tuberculosis with Bacillus Calmette - Guerin vaccine: a meta-analysis of the literature. *Clin Infect Dis*; **31**: 64-67.
- Brodin P, de Jonge MI, Majlessi L, Leclerc C, Nilges M, Cole ST, Brosch R. 2005. Functional analysis of early secreted antigenic target-6, the dominant T-cell antigen of *Mycobacterium tuberculosis*, reveals key residues involved in secretion, complex formation, virulence, and immunogenicity. *J Biol Chem*. **280**: 33953-33959.

- Brodin P, Rosenkrands I, Andersen P, Cole ST, Brosch R. 2004. ESAT-6 proteins: protective antigens and virulence factors. *TRENDS in Microbiology* **12**: 499-508.
- Champion PAD, Champion MM, Manzanillo P, Cox JS. 2009. ESX-1 secreted virulence factors are recognized by multiple cytosolic AAA ATPases in pathogenic mycobacteria. *Molecular Microbiology*. **73(5)**: 950-962.
- Champion PAG, Cox JS. 2007. Protein secretion systems in Mycobacteria. *Cellular Microbiology*. **9(6)**: 1376–1384.
- Champion PAD, Stanley SA, Champion MM, Brown EJ, Cox JS. 2006. C-Terminal Signal Sequence Promotes Virulence Factor Secretion in *Mycobacterium tuberculosis*. *SCIENCE*. **313**: 1632-1636.
- Christie PJ, Atmakuri K, Krishnamoorthy V, Jakubowski S, Cascales, E. 2005. Biogenesis, architecture, and function of bacterial type IV secretion systems. *Annu. Rev. Microbiol.* **59**: 451–485.
- Colditz GA, Brewer TF, Berkey CS, Wilson ME, Burdick E, Fineberg HV, et al. 1994. Efficacy of BCG vaccine in the prevention of tuberculosis. Meta-analysis of the published literature. *JAMA*. **271**: 698-702.
- Colditz GA, Berkey CS, Mosteller F, Brewer TF, Wilson ME, Burdick E. 1995. The efficacy of bacillus Calmette-Guerin vaccination of newborns and infants in the prevention of tuberculosis: meta-analyses of the published literature. *Pediatrics*. **96**: 29-35.
- Converse SE, Cox JS. 2005. A protein secretion pathway critical for *Mycobacterium tuberculosis* virulence is conserved and functional in *Mycobacterium smegmatis*. *J Bacteriol.* **187**: 1238-1245.
- Cornelis GR. 2006. The type III secretion injectisome. *Nature Rev. Microbiol.* **4**: 811–825.

- Demangel C, Garnier T, Rosenkrands I, Cole ST. 2005. Differential effects of prior exposure to environmental mycobacteria on vaccination with *Mycobacterium bovis* BCG or a recombinant BCG strain expressing RD1 antigens. *Infect Immun.* **73**: 2190-2196.
- Doherty TM, Andersen P. 2005. Vaccines for tuberculosis: novel concepts and recent progress. *Clin. Microbiol. Rev.* **18**: 687–702.
- Du F, Zhou Z, Mo ZY, Shi JZ, Chen J, Liang Y. 2006. Mixed macromolecular crowding accelerates the refolding of rabbit muscle creatine kinase: implications for protein folding in physiological environments. *J Mol Biol.* **364**: 469–482.
- Edwards PQ, Edwards LB. 1960. Story of the tuberculin test from an epidemiologic viewpoint. *Am Rev Respir Dis.* **81**:1–47.
- Elhay MJ, Oettinger T, Andersen P. 1998. Delayed-type hypersensitivity responses to ESAT-6 and MPT64 from *Mycobacterium tuberculosis* in the guinea pig. *Infect. Immun.* **66**: 3454–3456.
- Fan YX, Zhou JM, Kihara H, Tsou CL. 1998. Unfolding and refolding of dimeric creatine kinase equilibrium and kinetic studies. *Protein Sci.* **7**: 2631–2641.
- Felten MK, van-der-Merwe CA. 1989. Random variation in tuberculin sensitivity in schoolchildren: serial skin testing before and after preventive treatment for tuberculosis. *Am Rev Respir Dis.* **140**: 1001–1006.
- Fine PE. 1995. Variation in protection by BCG: implications of and for heterologous immunity. *Lancet.* **346**: 1339-45.
- Fortune SM, Jaeger A, Sarracino DA, Chase MR, Sasseti CM, Sherman DR, et al. 2005. Mutually dependent secretion of proteins required for mycobacterial virulence. *Proc Natl Acad Sci USA* **102**: 10676–10681.

- Frigui W, Bottai D, Majlessi L, Monot M, Josselin E, Brodin P, Garnier T, Gicquel B, Martin C, Leclerc C, Cole ST, Brosch R. 2008. Control of *M. tuberculosis* ESAT-6 Secretion and Specific T Cell Recognition by PhoP. *PLoS Pathogens*. **2**: 0001-0009.
- Groisman EA. 2001. The pleiotropic two-component regulatory system PhoP-PhoQ. *J Bacteriol*. **183**: 1835–1842.
- Gandhi NR, Moll A, Sturm AW, Pawinski R, Govender T, Lalloo U. 2006. Extensively drugresistant tuberculosis as a cause of death in patients co-infected with tuberculosis and HIV in a rural area of South Africa. *Lancet*. **368**: 1575-1580.
- Gordon SV, Brosch R, Billault A, Garnier T, Eiglmeier K, Cole ST. 1999. Identification of variable regions in the genomes of tubercle bacilli using bacterial artificial chromosome arrays. *Mol. Microbiol*. **32**: 643-655.
- Guinn KM, Hickey MJ, Mathur SK, Zakel KL, Grotzke JE, Lewinsohn DM, Smith S, Sherman DR. 2004. Individual RD1-region genes are required for export of ESAT-6/CFP-10 and for virulence of *Mycobacterium tuberculosis*. *Molecular Microbiology*. **51 (2)**: 359–370.
- He X-Y, Zhuang Y-H, Zhang X-G, Li G-L. 2003. Comparative proteome analysis of culture supernatant proteins of *Mycobacterium tuberculosis* H37Rv and H37Ra. *Microbes Infect* **5**: 851–856.
- Henderson IR, Navarro-Garcia F, Desvaux M, Fernandez RC, AlaAldeen, D. 2004. Type V protein secretion pathway: the autotransporter story. *Microbiol. Mol. Biol. Rev.* **68**: 692–744.
- Hogarth PJ, Logan KE, Vordermeier HM, Singh M, Hewinson RG, Chambers MA. 2005. Protective immunity against *Mycobacterium bovis* induced by vaccination with Rv3109c—a member of the esat-6 gene family. *Vaccine* **23**: 2557–2564.
- Holland IB, Schmitt L, Young J. 2005. Type 1 protein secretion in bacteria, the ABC-transporter dependent pathway. *Mol. Membr. Biol.* **22**: 29–39.

- Hsu T, Hingley-Wilson SM, Chen B, Chen M, Dai AZ, P Morin AZ, Marks CB, Padiyar J, Goulding C, Gingery M, Eisenberg D, Russell RG, Derrick SC, Collins FM, Morris SL, King CH, Jacobs WR Jr. 2003. The primary mechanism of attenuation of bacillus Calmette-Guerin is a loss of secreted lytic function required for invasion of lung interstitial tissue. *Proc. Natl. Acad. Sci. USA.* **100**: 12420–12425.
- Huebner RE, Schein MF, Bass JB. 1993. The tuberculin skin test. *Clin Infect Dis.* **17**: 968–75.
- Hulett FM. 1996. The signal-transduction network for Pho regulation in *Bacillus subtilis*. *Mol Microbiol* **19**: 933–939.
- Huygen K, Content J, Denis O, Montgomery DL, Yawman AM, Deck RR, DeWitt CM, Orme IM, Baldwin S, D'Souza C, Drowart A, Lozes E, Vandebussche P, Van Vooren JP, Liu MA, Ulmer JB. 1996. Immunogenicity and protective efficacy of a tuberculosis DNA vaccine. *Nat. Med* **2**: 893–898.
- Jones GJ, Gordon SV, Hewinson RG, Vordermeier HM. 2010. Screening of Predicted Secreted Antigens from *Mycobacterium bovis* reveals the Immunodominance of the ESAT-6 Protein Family. *Infect. Immun* **78**: 1326–1332.
- Jonge M, Pehau-Arnaudet G, Fretz MM., Romain F, Bottai D, Brodin P, Honore N, Marchal G, Jiskoot W, England P, Cole ST, Brosch R. 2007. ESAT-6 from *Mycobacterium tuberculosis* dissociates from its putative chaperone CFP-10 under acidic conditions and exhibits membrane-lysing activity. *Journal of Bacteriology.* **189**: 6028–6034.
- Johnson T L, Abendroth, J, Hol WG, Sandkvist M. 2006. Type II secretion: from structure to function. *FEMS Microbiol. Lett.* **255**: 175–186.
- Kamath AT, Feng CG, MacDonald M., Briscoe H, Britton WJ. 1999. Differential protective efficacy of DNA vaccines expressing secreted proteins of *Mycobacterium tuberculosis*. *Infect Immun* **67**: 1702–1707.

- Kusner, DJ and JA Barton. 2001. ATP stimulates human macrophages to kill intracellular virulent *Mycobacterium tuberculosis* via calcium-dependent phagosome-lysosome fusion. *J. Immunol.* **167**: 3308–3315.
- Liu J, Andrea SVL, Alexander DC, Zhu B. 2009. BCG vaccines: Their mechanisms of attenuation and impact on safety and protective efficacy. *Human Vaccines.* **5**: 70-78.
- Luthra A, Mahmood A, Arora A, Ramachandran R. 2008. Characterization of Rv3868, an Essential Hypothetical Protein of the ESX-1 Secretion System in *Mycobacterium tuberculosis*. *J Biol Chem.* **283**: 36532- 36541.
- Lightbody KL, Renshaw PS, Collins ML, Wright RL, Hunt DM, Gordon SV, Hewinson RG, Buxton RS, Williamson RA, Carr MD. 2004. Characterization of complex formation between members of the *Mycobacterium tuberculosis* complex CFP-10 / ESAT-6 protein family: towards an understanding of the rules governing complex formation and thereby functional flexibility. *FEMS Microbiol Lett* **238**: 255–262.
- Lightbody KL, Ilghari D, Waters LC, Carey G, Bailey MA, Williamson RA, Renshaw PS, Carr MD. 2008. Molecular Features Governing the Stability and Specificity of Functional Complex Formation by *Mycobacterium tuberculosis* CFP-10/ESAT-6 Family Proteins. *J Biol Chem.* **283**: 17681–17690.
- MacGurn JA, Raghavan S., Stanley SA, Cox, JS. 2005. A non-RD1 gene cluster is required for Snm secretion in *Mycobacterium tuberculosis*. *Mol Microbiol.* **57**: 1653–1663.
- Mahairas GG, Sabo PJ, Hickey MJ, Singh DC, Stover CK. 1996. Molecular analysis of genetic differences between *Mycobacterium bovis* BCG and virulent *M. bovis*. *J Bacteriol* **178**: 1274–1282.
- Malen H, Berven FS, Fladmark KE, Wiker HG. 2007. Comprehensive analysis of exported proteins from *Mycobacterium tuberculosis* H37Rv. *Proteomics.* **7**: 1702–1718.

- Martin C, Williams A, Hernandez-Pando R, Cardona PJ, Gormley E. 2006. The live *Mycobacterium tuberculosis* phoP mutant strain is more attenuated than BCG and confers protective immunity against tuberculosis in mice and guinea pigs. *Vaccine* **24**: 3408–3419.
- Mattow J, Schaible UE, Schmidt F, Hagens K, Siejak F, Brestrich G, Haeselbarth G, Muller EC, Jungblut PR, Kaufmann SH. 2003. Comparative proteome analysis of culture supernatant proteins from virulent *Mycobacterium tuberculosis* H37Rv and attenuated *M. bovis* BCG Copenhagen. *Electrophoresis* **24**: 3405–3420.
- Marmiesse M, Brodin P, Buchrieser C, Gutierrez C, Simoes N, Vincent V, Glaser P, Cole ST, Brosch R. 2004. Macro-array and bioinformatic analyses reveal mycobacterial ‘core’ genes, variation in the ESAT-6 gene family and new phylogenetic markers for the *Mycobacterium tuberculosis* complex. *Microbiology*. **150**: 483–496.
- Meher AK, Bal NC, Chary KV, Arora A. 2006. *Mycobacterium tuberculosis* H37Rv ESAT-6–CFP-10 complex formation confers thermodynamic and biochemical stability. *FEBS J.* **273**: 1445.
- Meher AK, Lella RK, Sharma C, Arora A. 2007. Analysis of complex formation and immune response of CFP-10 and ESAT-6 mutants. *Vaccine*. **25**: 6098–6106.
- Millington KA, Fortune SM, Low J, Garces A, Hingley-Wilson SM, Wickremasinghe M, Kon OM, Lalvani A. 2011. Rv3615c is a highly immunodominant RD1 (Region of Difference 1)-dependent secreted antigen specific for *Mycobacterium tuberculosis* infection. *Proc Natl Acad Sci USA*. **108**: 5730-5735.
- Mougous JD, Cuff ME, Raunser S, Shen A, Zhou M, Gifford CA, Goodman AL, Joachimiak G, Ordoñez CL, Lory S, Walz T, Joachimiak A, Mekalanos JJ. 2006. A virulence locus of *Pseudomonas aeruginosa* encodes a protein secretion apparatus. *Science*. **312**: 1526–1530.



- Mukherjee P, Dutta M, Datta A, Dasgupta A, Pradhan R, Pradhan M, Kundu M, Basu J and Chakrabarti P. 2007. The RD1-encoded antigen Rv3872 of *Mycobacterium tuberculosis* as a potential candidate for serodiagnosis of tuberculosis. *Clin Microbiol Infect.* **13**: 146–152.
- Nakamura S, Kidokoro S. 2005. Direct observation of the enthalpy change accompanying the native to molten-globule transition of cytochrome c by using isothermal acid-titration calorimetry. *Biophys Chem*, **113**: 161–168
- Okhrimenkoa O, Jelesarov I. 2008. A survey of the year 2006 literature on applications of isothermal titration calorimetry. *J Mol Recognit* **21**: 1–19.
- Okkels LM, Müller EC, Schmid M, Rosenkrands I, Kaufmann SHE, Andersen P, Jungblut PR. 2004. CFP10 discriminates between nonacetylated and acetylated ESAT-6 of *Mycobacterium tuberculosis* by differential interaction. *Proteomics*. **4**: 2954–2960.
- Olsen A W, Pinxteren LAHV, Okkels LM, Rasmussen PB, Anderson P. 2001. Protection of mice with a tuberculosis subunit vaccine based on a fusion protein of antigen 85B and ESAT-6. *Infect Immun* **69**: 2773–2778.
- Russell DG. 2001. *Mycobacterium tuberculosis*: here today, and here tomorrow. *Nat. Rev. Mol. Cell Biol.* **2**: 569–577.
- Sasseti CM, and Rubin EJ. 2003. Genetic requirements for mycobacterial survival during infection. *Proc Natl Acad Sci USA* **100**: 12989–12994.
- Schaible UE, Sturgill-Koszycki S, Schlesinger PH, and Russell DG. 1998. Cytokine activation leads to acidification and increases maturation of *Mycobacterium avium*-containing phagosomes in murine macrophages. *J. Immunol.* **160**: 1290–1296.
- Sherman DR, Voskuil M, Schnappinger D, Liao R, Harrell MI, Schoolnik GK. 2001. Regulation of the *Mycobacterium tuberculosis* hypoxic response gene encoding  $\alpha$ -crystallin. *Proc. Natl. Acad. Sci. U.S.A.* **98**: 7534–7539.

- Smith J, Manoranjan J, Pan M, Bohsali A, Xu J, Liu J, McDonald KL, Szyk A, LaRonde-LeBlanc N, Gao LY. 2008. Evidence for Pore Formation in Host Cell Membranes by ESX-1-Secreted ESAT-6 and Its Role in *Mycobacterium marinum* Escape from the Vacuole. *Infect Immun* **76**: 5478–5487.
- Skjøt RLV, Brock I, Arend SM, Munk ME, Theisen M, Ottenhoff THM, Andersen P. 2002. Epitope Mapping of the Immunodominant Antigen TB10.4 and the Two Homologous Proteins TB10.3 and TB12.9, Which Constitute a Subfamily of the esat-6 Gene Family. *Infect Immun* **70**: 5446–5453.
- Sorensen AL, Nagai S, Houen G, Andersen P, Andersen AB. 1995. Purification and characterization of a low-molecular-mass T-cell antigen secreted by *Mycobacterium tuberculosis*. *Infect Immun*. **63**:1710-1717.
- Stanley SA, Raghavan S, Hwang WW, Cox JS. 2003. Acute infection and macrophage subversion by *Mycobacterium tuberculosis* require a specialized secretion system. *Proc Natl Acad Sci U S A*. **100**: 13001-6.
- Sundaramoorthy R, Fyfe PK, William NH. 2008. Structure of *Staphylococcus aureus* EsxA Suggests a contribution to Virulence by action as a Transport Chaperone and/or Adaptor Protein. *J Mol Biol*. **383**: 603–614.
- Teutschbeina J, Schumannb G, Mollmann U, Grableyc S, Cole ST, Mundera T. 2009. A protein linkage map of the ESAT-6 secretion system 1 (ESX-1) of *Mycobacterium tuberculosis*. *Microbiological Res*. **164 (3)**: 253-259.
- Trunz BB, Fine P, Dye C. 2006. Effect of BCG vaccination on childhood tuberculous meningitis and miliary tuberculosis worldwide: a meta-analysis and assessment of cost-effectiveness. *Lancet*. **367**: 1173-1180.

- Philipp WJ, Nair S, Guglielmi G, Lagranderie M, Gicquel B, Cole ST. 1996. Physical mapping of *Mycobacterium bovis* BCG Pasteur reveals differences from the genome map of *Mycobacterium tuberculosis* H37Rv and from *M. bovis*. *Microbiol.* **142**: 3135–3145.
- Pym AS, Brodin P, Majlessi L, Brosch R, Demangel C, Williams A, Griffiths KE, Marchal G, Leclerc C, Cole ST. 2003. Recombinant BCG exporting ESAT-6 confers enhanced protection against tuberculosis. *Nat Med.* **9**: 533–539.
- Pallen MJ. 2002. The ESAT-6/WXG100 superfamily – and a new Gram-positive secretion system? *Trends Microbiol.* **10**: 209–12.
- Perez E, Samper S, Bordas Y, Guilhot C, Gicquel B, Martin C. 2001. An essential role for *phoP* in *Mycobacterium tuberculosis* virulence. *Mol Microbiol.* **41**: 179–187.
- Pollock JM, Andersen P. 1997. Predominant recognition of the ESAT-6 protein in the first phase of interferon with *Mycobacterium bovis* in cattle. *Infect Immun.* **65**:2587-2592.
- Pukatzki, S, Ma AT, Sturtevant D, Krastins B, Sarracino D, Nelson WC, Heidelberg JF, Mekalanos JJ. 2006. Identification of a conserved bacterial protein secretion system in *Vibrio cholerae* using the *Dictyostelium* host model system. *Proc. Natl Acad. Sci. USA.* **103**: 1528–1533.
- Pym AS, Brodin P, Majlessi L, Brosch R, Demangel C, Williams A, Griffiths KE, Marchal G, Leclerc C, Cole ST. 2003. Recombinant BCG exporting ESAT-6 confers enhanced protection against tuberculosis. *Nat Med.* **9**: 533-539.
- Pym AS, Brodin P, Brosch R, Huerre M, Cole ST. 2002. Loss of RD1 contributed to the attenuation of the live tuberculosis vaccines *Mycobacterium bovis* BCG and *Mycobacterium microti*. *Mol Microbiol*, **46**: 709-717.
- Ravn P, Demissie A, Eguale T, Wondwosson H, Lein D, Amoudy HA, Mustafa AS, Jensen AK, Holm A, Rosenkrands I, Oftung F, Olobo J, von Reyn F, Andersen P. 1999. Human T

cell responses to the ESAT-6 antigen from *Mycobacterium tuberculosis*. *J. Infect. Dis.* **179**: 637–645.

Raghavan S, Manzanillo P, Chan K, Dovey C, Cox JS. 2008. Secreted transcription factor controls *Mycobacterium tuberculosis* virulence. *NATURE*. **454**: 717- 722.

Renshaw PS, Panagiotidou P, Whelan A, Gordon SV, Hewinson RG, Williamson R A, Carr MD. 2002. Conclusive Evidence That the Major T-cell Antigens of the Mycobacterium tuberculosis Complex ESAT-6 and CFP-10 Form a Tight, 1:1 Complex and Characterization of the Structural Properties of ESAT-6, CFP-10, and the ESAT-6:CFP-10 Complex. *J Biol Chem* **277**: 21598–21603.

Renshaw PS, Lightbody KL, Veverka V, Muskett FW, Kelly G, Frenkie T A, Gordon SV, Hewinson RG, Burke B, Norman J, Williamson RA, Carr MD. 2005. Structure and function of the complex formed by the tuberculosis virulence factors CFP-10 and ESAT-6. *The EMBO Journal* **24**: 2491-2498.

Romain, F., A. Laqueyrie, P. Militzer, P. Pescher, P. Chavarot, M.Lagranderie, G. Auregan, M. Gheorghiu,, G. Marchal. 1993. Identification of a *Mycobacterium bovis* BCG 45/47-kilodalton antigen complex, an immunodominant target for antibody response after immunization with living bacteria. *Infect. Immun.* **61**:742–750.

Vordermeier M, Whelan AO, Hewinson RG. 2003. Recognition of mycobacterial epitopes by T cells across mammalian species and use of a program that predicts human HLA-DR binding peptides to predict bovine epitopes. *Infect Immun*; **71**(4):1980–7.

Vordermeier HM , Pontarollo R , Karvonen B , Cockle P , Hecker R , Singh M, Babiuk LA , Hewinson RG , Hurk SDDL. 2005. Synthetic peptide vaccination in cattle: induction of strong cellular immune responses against peptides derived from the *Mycobacterium bovis* antigen Rv3019c. *Vaccine*. **23**: 4375–4384.

WHO Report. 2010. Global tuberculosis control – surveillance, planning, financing.

Zhou BR, Zhou Z, Hu QL, Chen J, Liang Y. 2008. Mixed macromolecular crowding inhibits amyloid formation of hen egg white lysozyme. *Biochim Biophys Acta*, **1784**: 472–480.